## How to adjust mileage with Digimaster3

1, if the following dialog box appear asking to "re-run the software", it indicates digimaster3 was not registered and can't be used, the tested digimaster3 will not show this error.



2, Start up machine, it displays digimaster3 Basic Information: 0 tokensmeans no tokens limitation; digimaster3 supports free upgrade online and no need user name and password.

Y 研写科技 YANNUA TEGN	<b>DiaiMa</b> Basic Information	ster -
	Remaining tokens:	Token.
	BIOS Info: Version: Protocol Version:	-
Programmer	Program Info: Version: Protocol Version:	
Airbag Resetting	Device ID:	- OKO
		V V

3, I will show how to adjust the mileage, take Toyota Camry mileage adjust for example, firstly find the basic information for Toyota Camry mileage correction in the "digimastar3 vehicle list.xl" as follows, it needs to use OBP adapter, so find the OBP adapter in the tool box, in the digimaster3 display screen, choose "Meter System".

Back to Index	1	
Туре	Informati	iAdapter
Avensis		OBP Adapter
Camry N		OBP Adapter
Corolla		OBP Adapter
Hiace		OBP Adapter
Landc	KDJ120	OBP Adapter
	KJ95-J9	OBP Adapter
	2700	OBP Adapter
	3400	OBP Adapter
Prado	4000	ICP Adapter
	4500	OBP Adapter
	4700	OBP Adapter

**\** +




5, Select "Toyota"

Japan&Korea:	(See the Help) 퉛 B	ack	
Daihatsu	Honda	Hyundai	ISUZU
KIA	Lexus	Mazda	Mitsubishi
Nissan	Proton	SSangYong	Subaru
SUZUKI	Toyota		
		and a state of the	

## 6, Select "Camry"

Notice:Use OBP ada	pter for no wiring diagra	am vehicle				
Detect vehicle and adjust meter automatically						
Avensis	Aristo C46	Ipsum C46	SIENNA C46			
Camp	Astime C46	MarK X RA57	Toyota 2700			
Corollà	Avalon C46	MR2 C46	Yaris			
Hiace	Cellica C46	Picnic C46	VIOS C46			
Landc	Celsior 3.0 C46	Premio C66	VIOS 08 C56			
Prado C46	Crown C46	Previs S130	Previa			
Prado 2700	Echo C46	Prius C46	HJ100 C56			
Prado 3400	un C56	Rav4 C46	Terios C46			

7, show "C46" as follows, it indicates to remove the Instrument and to find C46 chip. Note: the same as to the other cars models, when it displays chip model, just to remove the Instrument and find the corresponding chip model.




8, the following picture tells the position of dip 93c46, now remove dip 93c46.

Note: be careful not separate chip angle and make sure not short-circuit.




9, let's see what's the removed 93c46 chip like.




10, insert the chip in the right position and connect the OBP, (Note: notice 93C46 direction)




11, Click "Next", read out Chip mileage value 80KM, select "Yes" to adjust the mileage value you want.



12, For example, in the box "Adjusting mileage", enter 4567, and then click "OK".



14, read out the current mileage value to confirm whether it matches the mileage value you just now adjusted.



15, now we confirm, the Current mileage is 4567 Kilometer.

